

# TOOLS

## TOOL BOXES



**CATALOG NO.  
649**

# THE SHERMAN-KLOVE CO.

3535 WEST 47TH STREET, CHICAGO 32, ILLINOIS, U. S. A.

File Under No. 820  
Weatherly Index



## FOREWORD

**T**HE S-K line of tools shown in this catalogue is a first quality line, which we believe to be equal to or better than any tools made at any price.

They are made of the finest steels obtainable for the particular purpose for which they are designed, accurately machined to close tolerances, heat treated and hardened to provide strength and long wear, and chrome plated and polished for protection against rust and corrosion.

They are a line of tools built to speed the mechanic's work in this age where speed is necessary if competition is to be met. Streamlined design and light weight commensurate with strength are factors which are all carefully considered by our engineering department in developing these tools.

The wrench set combinations are selected and arranged to meet the individual needs of the mechanic, whether he be engaged in intricate assembly work requiring small tools, or the construction and repair of heavy units where strength and the ability to "take it" are essential.

### REPLACEMENT POLICY

All S-K tools are guaranteed against defective material or workmanship. Any tool showing a defect in material or workmanship will be repaired or replaced free of charge, if returned to the factory by the user, provided the tool has been used properly and does not show signs of abuse.



Printed in U.S.A.

**THE SHERMAN-KLOVE CO.**

3535 WEST 47TH STREET  
CHICAGO 32, ILL., U.S.A.

# S-K Sockets and Handles

1/4" Square Drive

Heat Treated and Tested

Chromium Plated and Polished

## THIN TAPER WALL SOCKETS

### 409 Series

Accurately machined and broached to close tolerances, insuring accurate fit on small nuts.

#### 6 Point

Part No.	Size	Height	Std. Cart.	Shpg. Wt
40906	3/16"	7/8"	1	.05 lb.
40907	7/32"	7/8"	1	.05 lb.
40908	1/4"	7/8"	1	.05 lb.
40909	9/32"	7/8"	1	.05 lb.
40910	5/16"	7/8"	1	.05 lb.

#### 12 Point

Part No.	Size	Height	Std. Cart.	Shpg. Wt
40911	11/32"	7/8"	1	.06 lb.
40912	3/8"	7/8"	1	.06 lb.
40914	7/16"	7/8"	1	.07 lb.

#### 8 Point

Part No.	Size	Height	Std. Cart.	Shpg. Wt
40988	1/4"	7/8"	1	.06 lb.
40900	5/16"	7/8"	1	.07 lb.
40901	3/8"	7/8"	1	.09 lb.

### FLEXIBLE HEAD HANDLE

Head is held in any position by concealed spring. Comfortable knurled handle is drilled for Cross Bar. Strong spring behind ball in head assures socket of being held in place at all times.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
40953	1/4" Square	5 1/4"	1 1/2"	6	1.50 lbs.

### CROSS BAR

For use with 40953 Flexible Head Handle to make L or T combinations.

Part No.	Used With	Length	Diam.	Std. Cart.	Carton Wt.
40950	40953	4 1/2"	5/16"	6	1.20 lbs.

### EXTENSIONS

Female end has 1/4" square opening for use with ratchet or flexible head handle. Strong spring behind ball in male end assures socket of being held in place at all times.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
40961	1/4" Square	2"	21/64"	6	.60 lb.
40962	1/4" Square	6"	21/64"	6	1.08 lbs.

### REVERSIBLE RATCHET WRENCH

Closest acting positive type reversible ratchet wrench made. Close action in tight places assured by 60 tooth mechanism. Drop forged, precision machined. A tool that has mechanic acceptance wherever shown.

Part No.	Drive Size	Length	Head Diam.	Std. Cart.	Carton Wt.
40970	1/4" Square	4 1/2"	1 5/16"	6	1.20 lbs.



1/4"

SQUARE DRIVE




409 Series  
6 Point



409 Series  
12 Point



409 Series  
8 Point





3/8"


SQUARE DRIVE




451 Series



404 Series



406 Series



45190

## S-K Sockets

Thin Straight Wall

3/8" Square Drive

Heat Treated and Tested

Chromium Plated and Polished

### STANDARD SOCKETS

#### 451 Series

Part No.	Size	Height	Std. Cart.	Carton Wt.
45112	3/8"	7/8"	6	.42 lb.
45114	7/16"	7/8"	6	.42 lb.
45116	1/2"	7/8"	6	.48 lb.
45118	9/16"	7/8"	6	.48 lb.
45120	5/8"	7/8"	6	.72 lb.
45122	11/16"	1"	6	.90 lb.
45124	3/4"	1"	6	.96 lb.

### EXTRA DEEP SOCKETS

#### 404 Series

These sockets are designed to fit bolts in running board channels, fender and body supports, and 10mm spark plugs. The 40420 5/8" socket can be used on 1941-42 Chevrolet and 1941 Buick Spark Plugs.

Part No.	Size	Height	Std. Cart.	Carton Wt.
40412	3/8"	1 3/4"	6	.60 lb.
40414	7/16"	1 3/4"	6	.72 lb.
40416	1/2"	1 3/4"	6	.78 lb.
40418	9/16"	1 3/4"	6	.96 lb.
40420	5/8"	2 1/2"	6	1.14 lbs.
40422	11/16"	2 1/2"	6	1.50 lbs.
40424	3/4"	2 1/2"	6	1.68 lbs.

### UNIVERSAL JOINT SOCKETS

#### 406 Series

Indispensable in working on those hard to get at places on the modern automobile. Works freely at any angle.

Part No.	Size	Height	Std. Cart.	Carton Wt.
40612	3/8"	1 21/32"	6	.72 lb.
40614	7/16"	1 21/32"	6	.72 lb.
40616	1/2"	1 11/16"	6	.72 lb.
40618	9/16"	1 3/4"	6	.78 lb.
40620	5/8"	1 25/32"	6	.78 lb.
40622	11/16"	1 13/16"	6	.96 lb.
40624	3/4"	1 7/8"	6	1.02 lbs.

### UNIVERSAL JOINT

Part No.	Drive Size	Length	Std. Cart.	Carton Wt.
45190	3/8" Square	1 7/8"	6	1.20 lbs.

# THE SHERMAN-KLOVE CO.

3535 WEST 47TH STREET  
CHICAGO 32, ILL., U. S. A

# S-K Handles

$\frac{3}{8}$ " Square Drive

Heat Treated and Tested

Chromium Plated and Polished

## SPEEDER HANDLE

This tool can't be beat for quickly running off nuts. Comfortable knurled handle. Strong spring behind ball in drive end prevents sockets from coming off.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
45181	$\frac{3}{8}$ " Square	16 $\frac{1}{2}$ "	$\frac{3}{8}$ "	6	6.00 lbs.

## REVERSIBLE RATCHET WRENCH

Another of the famous line of S-K reversible ratchets. Close action in tight places assured by 40 tooth mechanism. Drop forged, precision machined.

Part No.	Drive Size	Length	Head Diam.	Std. Cart.	Carton Wt.
45170	$\frac{3}{8}$ " Square	7 $\frac{1}{2}$ "	1 $\frac{5}{16}$ "	6	4.50 lbs.

## EXTENSIONS

Female end has  $\frac{3}{8}$ " square opening for use with ratchet or flexible head handle. Strong spring behind ball in male end assures socket of being held in place at all times.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
45160	$\frac{3}{8}$ " Square	2 $\frac{5}{8}$ "	$\frac{1}{16}$ "	6	1.20 lbs.
45161	$\frac{3}{8}$ " Square	6"	$\frac{1}{16}$ "	6	2.40 lbs.
45162	$\frac{3}{8}$ " Square	11"	$\frac{1}{16}$ "	6	3.60 lbs.

## FLEXIBLE HEAD HANDLES

Head is held in any position by concealed spring. Comfortable knurled handle is drilled for use with cross bar. Strong spring behind ball in head assures socket of being held in place at all times.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
45153	$\frac{3}{8}$ " Square	7 $\frac{1}{2}$ "	$\frac{5}{8}$ "	6	1.50 lbs.

## CROSS BAR


For use with 45153 flexible head handle, to make L or T combinations.

Part No.	Used With	Length	Diam.	Std. Cart.	Carton Wt.
45150	45153	6"	$\frac{5}{16}$ "	6	1.20 lbs.



$\frac{3}{8}$ "

SQUARE DRIVE






**1/2"**  
**SQUARE DRIVE**




401 Series  
12 Point



401 Series  
8 Point




408 Series



40809



4V118



40190

## S-K Sockets

Thin Taper Wall - 1/2" Square Drive  
Heat Treated and Tested - Chromium Plated & Polished

### STANDARD SOCKETS

#### 401 Series 12 Point

Part No.	Size	Height	Std. Cart.	Carton Wt.
40114	7/16"	1 1/2"	6	.90 lb.
40116	1/2"	1 3/8"	6	.90 lb.
40118	9/16"	1 7/8"	6	1.02 lbs.
40119	19/32"	1 5/8"	6	1.02 lbs.
40120	5/8"	1 9/16"	6	1.08 lbs.
40122	11/16"	1 19/32"	6	1.20 lbs.
40124	3/4"	1 39/64"	6	1.44 lbs.
40125	25/32"	1 5/8"	6	1.56 lbs.
40126	13/16"	1 41/64"	6	1.68 lbs.
40128	7/8"	1 21/32"	6	1.92 lbs.
40130	15/16"	1 43/64"	6	2.16 lbs.
40132	1"	1 45/64"	6	2.82 lbs.
40134	1 1/16"	1 23/32"	6	3.00 lbs.
40136	1 1/8"	1 47/64"	6	3.24 lbs.
40138	1 3/16"	1 3/4"	6	3.24 lbs.
40140	1 1/4"	1 3/4"	6	3.42 lbs.

### STANDARD SOCKETS

#### 401 Series 8 Point

Part No.	Size	Height	Std. Cart.	Carton Wt.
40103	1/2"	1 3/8"	6	1.32 lbs.
40104	9/16"	1 3/8"	6	1.44 lbs.
40105	5/8"	1 3/8"	6	1.56 lbs.
40106	11/16"	1 3/8"	6	1.80 lbs.

### SPARK PLUG SOCKETS

#### 408 Series 12 Point

Part No.	Size	Height	Std. Cart.	Carton Wt.
40818	9/16"	3 1/4"	6	2.28 lbs.
†40820	5/8"	3 1/4"	6	2.28 lbs.
40822	11/16"	3 1/4"	6	2.28 lbs.
40824	3/4"	3 1/4"	6	2.40 lbs.
40826	13/16"	3 1/2"	6	3.30 lbs.
‡*B40826	13/16"	3 1/2"	6	3.30 lbs.
40828	7/8"	3 1/2"	6	3.54 lbs.
‡*B40828	7/8"	3 1/2"	6	3.54 lbs.
40830	15/16"	3 1/2"	6	3.66 lbs.
40832	1"	3 1/2"	6	3.84 lbs.
40836	1 1/8"	3 1/2"	6	5.40 lbs.

\*Extra thin for Buicks — not guaranteed. ‡Fits 1942 Buick Spark Plugs. †Fits 1941-42 Chevrolet and 1941 Buick Spark Plugs.

### DRAG LINK SOCKET

The ideal socket to use on slotted nuts, tie rods, and drag links

Part No.	Drive Size	Blade	Length	Std. Cart.	Carton Wt.
40809	1/2" Square	15/16" x .120"	1 19/32"	6	1.50 lbs.

### FORD V8 CONNECTING ROD SOCKET

This socket is designed for use in removing the nuts holding the connecting rods on Ford V8. The best available steel is used in making this socket, but due to the fact that the walls must be extra thin, it is not guaranteed

Part No.	Size	Drive Size	Height	Std. Cart.	Carton Wt.
4V118	9/16"	1/2" Square	1 1/4"	6	.48 lb.

Extra Thin — Not Guaranteed.

### UNIVERSAL JOINT

Part No.	Drive Size	Length	Std. Cart.	Carton Wt.
40190	1/2" Square	2 5/16"	6	1.80 lbs.

# S-K Handles

$\frac{1}{2}$ " Square Drive  
Heat Treated and Tested  
Chromium Plated and Polished

## SPEEDER HANDLE

This tool can't be beat for quickly running off nuts. Has comfortable knurled handle. Strong spring behind ball in drive end prevents socket from coming off.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
40181	$\frac{1}{2}$ " Square	18"	$\frac{1}{2}$ "	6	12.00 lbs.

## ADAPTOR

Part No.	Drive Size	Length	Diameter	Std. Cart.	Carton Wt.
40160	$\frac{1}{2}$ " Square	1 $\frac{1}{2}$ "	$\frac{1}{2}$ " Square	6	1.20 lbs.

## FLEXIBLE HEAD HANDLES

Head is held in any desired position by concealed spring. Comfortable knurled handle is drilled for use with cross bar. No. 41653 has a female square broached into the end of the handle to receive Slide Tee or Reversible Ratchet, thereby making it possible to use as an extension.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
40253	$\frac{1}{2}$ " Square	14 $\frac{1}{2}$ "	$\frac{5}{8}$ "	6	9.00 lbs.
41653	$\frac{1}{2}$ " Square	17"	$\frac{5}{8}$ "	6	12.00 lbs.

## CROSS BARS

For use with 40253 and 41653 flexible head handles, to make L and T combinations.

Part No.	Used With	Length	Diam.	Std. Cart.	Carton Wt.
40250	40253	10 $\frac{1}{2}$ "	$\frac{3}{8}$ "	6	2.40 lbs.
41650	41653	10"	$\frac{9}{16}$ "	6	4.80 lbs.

## SLIDE TEE WRENCH

Can be used as a T or an offset handle. Groove in middle of handle engages spring backed ball in head, making solid T. Stops at each end of bar fit notches in head, making practical offset handle.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
40152	$\frac{1}{2}$ " Square	10"	$\frac{9}{16}$ "	6	6.00 lbs.

## EXTENSIONS

Female end has  $\frac{1}{2}$ " square opening for use with other handles. Strong spring behind ball in drive end assures socket of being held in place at all times.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
40161	$\frac{1}{2}$ " Square	5"	$\frac{5}{8}$ "	6	3.60 lbs.
40162	$\frac{1}{2}$ " Square	10"	$\frac{5}{8}$ "	6	6.00 lbs.


## REVERSIBLE RATCHET WRENCH

Closest acting positive type reversible ratchet wrench made. Close action in tight places assured by 50 tooth mechanism. Drop forged, precision machined. A tool that has mechanic acceptance wherever shown.

Part No.	Drive Size	Length	Head Diam.	Std. Cart.	Carton Wt.
42470	$\frac{1}{2}$ " Square	10 $\frac{1}{2}$ "	1 $\frac{3}{4}$ "	6	9.60 lbs.




$\frac{1}{2}$ "  
SQUARE DRIVE





3/4"

SQUARE DRIVE



## S-K Sockets and Handles

3/4" Square Drive  
Heat Treated and Tested  
Chromium Plated and Polished

### SOCKETS

12 Point

471 Series

Part No.	Size	Height	Std. Cart.	Carton Wt.
47134	1 1/16"	2"	1	.57 lb.
47136	1 1/8"	2 1/16"	1	.70 lb.
47138	1 3/16"	2 3/32"	1	.82 lb.
47140	1 1/4"	2 1/8"	1	.85 lb.
47142	1 5/16"	2 5/32"	1	1.05 lbs.
47144	1 3/8"	2 3/16"	1	1.08 lbs.
47146	1 7/16"	2 1/4"	1	1.14 lbs.
47148	1 1/2"	2 5/16"	1	1.18 lbs.
47150	1 9/16"	2 11/32"	1	1.40 lbs.
47152	1 5/8"	2 3/8"	1	1.40 lbs.
47154	1 11/16"	2 7/16"	1	1.63 lbs.
47156	1 3/4"	2 1/2"	1	2.08 lbs.
47158	1 13/16"	2 9/16"	1	2.10 lbs.
47160	1 7/8"	2 5/8"	1	2.30 lbs.
47164	2"	2 11/16"	1	2.44 lbs.

### FLEXIBLE HEAD HANDLE

Head is held in any desired position by concealed spring. Has comfortable knurled handle.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
47155	3/4" Square	19"	1 3/16"	1	4.25 lbs.

### SLIDE TEE WRENCH

Can be used as a T or an offset handle. A spring ball arrangement holds the head at any point on bar.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
47153	3/4" Square	18"	7/8"	1	4.00 lbs.

### REVERSIBLE RATCHET WRENCH

Closest acting positive type reversible ratchet wrench made. Close action in tight places assured by 70 tooth mechanism. Drop forged, precision machined. A tool that has mechanic acceptance wherever shown.

Part No.	Drive Size	Length	Head Diam.	Std. Cart.	Carton Wt.
47170	3/4" Square	18"	2 3/4"	1	5.50 lbs.

### EXTENSIONS

Female end has 3/4" square opening for use with other handles. Spring behind double ball in drive end assures socket of being held in place at all times.

Part No.	Drive Size	Length	Diam.	Std. Cart.	Carton Wt.
47161	3/4" Square	8"	1 5/16"	1	2.00 lbs.
47162	3/4" Square	16"	1 5/16"	1	3.50 lbs.

**THE SHERMAN-KLOVE CO.**

3535 WEST 47TH STREET  
CHICAGO 32, ILL., U. S. A.

# S-K Wrench Sets

Thin Taper Wall 6, 8, and 12 Point Sockets

Chromium Plated and Polished

$\frac{1}{4}$ " and  $\frac{3}{8}$ " Square Drive

## No. 4097 Set

Indispensable for fast work on ignition, carburetor, radio, etc. Gets into those tight places which can't be reached with large tools. This set has eleven pieces of  $\frac{1}{4}$ " Square Drive Socket Wrenches, packed in a metal box, wrinkle finish, and contains one each of the following:

No.	Description	No.	Description
40953	Flex Handle	40912	$\frac{9}{32}$ " 12 Pt. Skt.
40950	Cross Bar	40914	$\frac{7}{16}$ " 12 Pt. Skt.
40908	$\frac{1}{4}$ " 6 Pt. Skt.	40988	$\frac{1}{4}$ " 8 Pt. Skt.
40909	$\frac{9}{32}$ " 6 Pt. Skt.	40900	$\frac{5}{16}$ " 8 Pt. Skt.
40910	$\frac{5}{16}$ " 6 Pt. Skt.	40901	$\frac{3}{8}$ " 8 Pt. Skt.
40911	$\frac{11}{32}$ " 12 Pt. Skt.		

### No. 4097 Set ( $\frac{1}{4}$ " Square Drive)

1 to a Case.

Shipping Weight Each 1.2 lbs.

## No. 4098R Set

This set contains sixteen pieces of  $\frac{1}{4}$ " Square Drive Socket Wrenches. These fine tools will prove invaluable to the mechanic who must make close adjustments of small bolts and nuts in those places which are hard to reach. The sixty tooth 40970 Reversible Ratchet in this set is indispensable to the mechanic who is working on carburetor, radio, ignition, refrigeration and aviation equipment. Set is packed in a metal case, wrinkle finish, and contains one each of the following:

No.	Description	No.	Description
40970	Reversible Ratchet	40909	$\frac{9}{32}$ " 6 Pt. Skt.
40961	2" Extension	40910	$\frac{5}{16}$ " 6 Pt. Skt.
40962	6" Extension	40911	$\frac{11}{32}$ " 12 Pt. Skt.
40953	Flex Handle	40912	$\frac{9}{32}$ " 12 Pt. Skt.
40950	Cross Bar	40914	$\frac{7}{16}$ " 12 Pt. Skt.
40906	$\frac{3}{16}$ " 6 Pt. Skt.	40988	$\frac{1}{4}$ " 8 Pt. Skt.
40907	$\frac{1}{8}$ " 6 Pt. Skt.	40900	$\frac{5}{16}$ " 8 Pt. Skt.
40908	$\frac{1}{4}$ " 6 Pt. Skt.	40901	$\frac{3}{8}$ " 8 Pt. Skt.

### No. 4098R Set ( $\frac{1}{4}$ " Square Drive)

1 to a Case.

Shipping Weight Each, 1.8 lbs.

## No. 4513 Set

A nine piece selection including seven Sockets and two Handles in the  $\frac{3}{8}$ " Square Drive. Packed in metal case, wrinkle finish, and contains one each of the following:

No.	Description	No.	Description
45153	Flex Handle	45118	$\frac{9}{16}$ " Skt.
45150	Cross Bar	45120	$\frac{5}{8}$ " Skt.
45112	$\frac{3}{8}$ " Skt.	45122	$\frac{11}{16}$ " Skt.
45114	$\frac{7}{16}$ " Skt.	45124	$\frac{3}{4}$ " Skt.
45116	$\frac{1}{2}$ " Skt.		

### No. 4513 Set ( $\frac{3}{8}$ " Square Drive)

1 to a Case.

Shipping Weight Each, 1.8 lbs.



$\frac{1}{4}$ "

SQUARE DRIVE




4097



4098R


$\frac{3}{8}$ "

SQUARE DRIVE




4513


 $\frac{3}{8}$ "

**SQUARE DRIVE**


4517W



4531R

## S-K Wrench Sets

Thin Straight Wall Sockets

Chromium Plated and Polished

 $\frac{3}{8}$ " Square Drive

### No. 4517W Set

A fourteen piece set of the latest type  $\frac{3}{8}$ " Square Drive straight wall tools for the places hard to get at. This popular set has gained acceptance with mechanics everywhere. Is packed in a metal case, wrinkle finish, and contains one each of the following:

No.	Description	No.	Description
45153	Flex Handle	45112	$\frac{3}{8}$ " Skt.
45150	Cross Bar	45114	$\frac{1}{16}$ " Skt.
45181	Speeder	45116	$\frac{1}{2}$ " Skt.
45170	Reversible Ratchet	45118	$\frac{9}{16}$ " Skt.
45161	6" Extension	45120	$\frac{5}{8}$ " Skt.
45162	11" Extension	45122	$\frac{11}{16}$ " Skt.
45190	Universal Joint	45124	$\frac{3}{4}$ " Skt.

### No. 4517W Set ( $\frac{3}{8}$ " Square Drive)

3 to a Case.

Case Shipping Weight, 19 lbs.

### No. 4517W Tools Only

1 to a Case.

Shipping Weight Each, 4 lbs.

### No. 4531R Set

Work on the modern automobile demands a complete range of straight wall Sockets, Universal Joint Sockets, Extensions, Handles and a reversible ratchet in the  $\frac{3}{8}$ " square drive. This set includes all of these tools. It is packed in a metal box, wrinkle finish, with partitions accommodating the twenty-nine pieces of this set, and yet compact enough to enable the mechanic to include this complete  $\frac{3}{8}$ " drive assortment in his tool chest separate from other tools. Set contains one each of the following:

No.	Description	No.	Description
45153	Flex Handle	40412	$\frac{3}{8}$ " Ex. Deep Skt.
45150	Cross Bar	40414	$\frac{1}{16}$ " Ex. Deep Skt.
45181	Speeder	40416	$\frac{1}{2}$ " Ex. Deep Skt.
45170	Reversible Ratchet	40418	$\frac{9}{16}$ " Ex. Deep Skt.
45160	$2\frac{5}{8}$ " Extension	40420	$\frac{5}{8}$ " Ex. Deep Skt.
45161	6" Extension	40422	$\frac{11}{16}$ " Ex. Deep Skt.
45162	11" Extension	40424	$\frac{3}{4}$ " Ex. Deep Skt.
45190	Universal Joint	40612	$\frac{3}{8}$ " U. Jt. Skt.
45112	$\frac{3}{8}$ " Skt.	40614	$\frac{1}{16}$ " U. Jt. Skt.
45114	$\frac{1}{16}$ " Skt.	40616	$\frac{1}{2}$ " U. Jt. Skt.
45116	$\frac{1}{2}$ " Skt.	40618	$\frac{9}{16}$ " U. Jt. Skt.
45118	$\frac{9}{16}$ " Skt.	40620	$\frac{5}{8}$ " U. Jt. Skt.
45120	$\frac{5}{8}$ " Skt.	40622	$\frac{11}{16}$ " U. Jt. Skt.
45122	$\frac{11}{16}$ " Skt.	40624	$\frac{3}{4}$ " U. Jt. Skt.
45124	$\frac{3}{4}$ " Skt.		

### No. 4531R Set ( $\frac{3}{8}$ " Square Drive)

1 to a Case.

Shipping Weight Each, 9 lbs.

**THE SHERMAN-KLOVE CO.**

 3535 WEST 47TH STREET  
CHICAGO 32, ILL., U.S.A.

# S-K Wrench Sets

Straight Wall Sockets  
Chromium Plated and Polished  
3/8" and 1/2" Square Drives

## No. 4606R Set

### 7 PIECE UNIVERSAL JOINT SOCKET SET

On the modern automobile nuts are found in many inaccessible places, making universal joint sockets an absolute necessity. Packed in steel case, wrinkle finish. Contains one each of the following:

No.	Description	No.	Description
40612	3/8" Univ. Jt. Skt.	40620	5/8" Univ. Jt. Skt.
40614	7/16" Univ. Jt. Skt.	40622	11/16" Univ. Jt. Skt.
40616	1/2" Univ. Jt. Skt.	40624	3/4" Univ. Jt. Skt.
40618	9/16" Univ. Jt. Skt.		

### No. 4606R Set (3/8" Square Drive)

1 to a Case. Shipping Weight Each, 1 lb.

## No. 4407 Set

### 7 PIECE EXTRA DEEP SOCKET SET

The thin straight wall sockets in this set of 3/8" square drive deep sockets are designed to fit bolts in running board channels, fender and body supports, 10mm spark plugs, etc. The 40420 5/8" socket can be used on 1941-42 Chevrolet and Buick spark plugs. Packed in steel case, wrinkle finish. Contains one each of the following:

No.	Description	No.	Description
40412	3/8" Deep Skt.	40420	5/8" Deep Skt.
40414	7/16" Deep Skt.	40422	11/16" Deep Skt.
40416	1/2" Deep Skt.	40424	3/4" Deep Skt.
40418	9/16" Deep Skt.		

### No. 4407 Set (3/8" Square Drive)

1 to a Case. Shipping Weight Each, 1.5 lbs.

## No. B4810 Set

### 10 PIECE SPARK PLUG SOCKET SET

This set contains nine sockets in 1/2" square drive, including 9/16" and 7/8" extra thin wall sockets for use on Buicks, 5/8" and 11/16" for use on 10mm spark plugs and the 40820 5/8" which can be used on 1941 Chevrolets and Buicks. Packed in metal box, wrinkle finish, containing one each of the following:

No.	Description
40818	9/16" Spark Plug Skt.
40820	5/8" Spark Plug Skt.
40822	11/16" Spark Plug Skt.
40824	3/4" Spark Plug Skt.
B40826	13/16" Spark Plug Skt.
B40828	7/8" Spark Plug Skt.
40830	15/16" Spark Plug Skt.
40832	1" Spark Plug Skt.
40836	1 1/8" Spark Plug Skt.
48L	L Handle

### No. B4810 Set (1/2" Square Drive)

1 to a Case. Shipping Weight Each, 6 lbs.

**No. 4810 Set (1/2" Square Drive)** (Same as B4810 Set except Nos. 40826 and 40828 standard sockets are substituted for Nos. B40826 and B40828).

1 to a Case. Shipping Weight Each, 6 lbs.

### No. 48L Handle

1 to a Package. Shipping Weight Each, .25 lb.



3/8"

SQUARE DRIVE



4606R



4407

1/2"


SQUARE DRIVE




4810



## 1/2" SQUARE DRIVE



## 1/4" & 1/2" SQUARE DRIVE



## S-K Wrench Sets

Thin Taper Wall Sockets

Chromium Plated and Polished

1/2" Square Drive

### No. 4168W Set

With this practical set of 1/2" Square Drive 12 pt. Socket Wrenches it is possible to do most of the tear-down and reassembly work on any automobile or truck job. The 41653 17" Flex Handle and the 42470 fifty tooth Reversible Ratchet are speed tools which save the mechanic time. This sixteen piece set is packed in a metal case, wrinkle finish, and contains one each of the following:

No.	Description	No.	Description
41653	Flex Handle	40122	11/16" Skt.
41650	Cross Bar	40124	3/4" Skt.
42470	Reversible Ratchet	40126	13/16" Skt.
40114	7/16" Skt.	40128	7/8" Skt.
40116	1/2" Skt.	40130	15/16" Skt.
40118	9/16" Skt.	40132	1" Skt.
40119	19/32" Skt.	40134	1 1/16" Skt.
40120	5/8" Skt.	40136	1 1/8" Skt.

### No. 4168W Set (1/2" Square Drive)

1 to a Case.

Shipping Weight Each, 10 lbs.

### No. 4167W Set (as above less 42470 Reversible Ratchet)

1 to a Case.

Shipping Weight Each, 8.3 lbs.

### No. 4347W Set

This thirty-two piece general purpose set will enable the mechanic to meet the present day necessity for speed which he must have if he is to hold his place in competition. A wide range of 1/2" Drive 12 Point Sockets and necessary Handles is packed in a metal box, wrinkle finish. The 4097 Midget Set is included in a separate box which is removable. Set contains one each of the following:

No.	Description	No.	Description
1/4" Sq. Drive Sockets and Handles		42470	Reversible Ratch't
40953	Flex Handle	40161	5" Extension
40950	Cross Bar	40162	10" Extension
40908	1/4" 6 Pt. Skt.	40152	Slide T Wrench
40909	9/32" 6 Pt. Skt.	40114	7/16" Skt.
40910	5/16" 6 Pt. Skt.	40116	1/2" Skt.
40911	11/16" 12 Pt. Skt.	40118	9/16" Skt.
40912	3/8" 12 Pt. Skt.	40119	19/32" Skt.
40914	7/16" 12 Pt. Skt.	40120	5/8" Skt.
40988	1/4" 8 Pt. Skt.	40122	11/16" Skt.
40900	9/16" 8 Pt. Skt.	40124	3/4" Skt.
40901	3/8" 8 Pt. Skt.	40125	25/32" Skt.
1/2" Sq. Drive Sockets and Handles		40126	13/16" Skt.
41653	Flex Handle	40128	7/8" Skt.
41650	Cross Bar	40130	15/16" Skt.
40181	Speeder	40132	1" Skt.
		40134	1 1/16" Skt.
		40136	1 1/8" Skt.

### No. 4347W Set (1/4" and 1/2" Square Drives)

3 to a Case.

Case Shipping Weight, 50 lbs.

### No. 4241W Set (1/2" Square Drive) (as above less 4097 Midget Set)

3 to a Case.

Case Shipping Weight, 47 lbs.

### No. 4241W Tools Only

1 to a Case.

Shipping Weight Each, 12 lbs.

# S-K Wrench Sets

Thin Taper Wall Sockets  
Chromium Plated and Polished  
1/2" Square Drive

## No. 4237 Set

For the mechanic who wants a very handy set of 1/2" Square Drive 12 Pt. Socket Wrenches at a low cost. This twelve piece set is packed in metal carrying case, wrinkle finish. Contains one each of the following:

No.	Description	No.	Description
40253	Flex Handle	40120	5/8" Skt.
40250	Cross Bar	40122	11/16" Skt.
40114	7/16" Skt.	40124	3/4" Skt.
40116	1/2" Skt.	40126	13/16" Skt.
40118	9/16" Skt.	40128	7/8" Skt.
40119	19/32" Skt.	40130	15/16" Skt.

### No. 4237 Set (1/2" Square Drive)

1 to a Case.

Shipping Weight Each, 5.6 lbs.

## No. 4502W Set

This thirty-two piece general purpose set has received instant acceptance by the mechanic wherever it is shown. In addition to the wide range of 1/2" Square Drive 12 Point Sockets and Handles, it also has the 4097 Midget Set, packed in individual metal case, which is removable. The complete set is packed in the 4502-C Chest. The lift-out tray in this Chest will hold the complete set, leaving ample room in the bottom of the Chest for practically all of the other tools a mechanic may need for any job. Sturdily constructed throughout. Piano type hinges across both sides of the top. Metal carrying handle. Is equipped with nickel plated hasp for padlock, corner irons, and side catches. Wrinkle finish. Overall dimensions of Chest — 19" x 7" x 8 3/4". Set contains one each of the following:

No.	Description	No.	Description
<b>1/4" Square Drive Sockets and Handles</b>			
40953	Flex Handle	42470	Reversible Ratch't
40950	Cross Bar	40161	5" Extension
40908	1/4" 6 Pt. Skt.	40162	10" Extension
40909	5/16" 6 Pt. Skt.	40152	Slide T Wrench
40910	5/16" 6 Pt. Skt.	40114	7/16" Skt.
40911	11/32" 12 Pt. Skt.	40116	1/2" Skt.
40912	3/8" 12 Pt. Skt.	40118	9/16" Skt.
40914	7/16" 12 Pt. Skt.	40119	19/32" Skt.
40988	1/4" 8 Pt. Skt.	40120	5/8" Skt.
40900	5/16" 8 Pt. Skt.	40122	11/16" Skt.
40901	3/8" 8 Pt. Skt.	40124	3/4" Skt.
<b>1/2" Square Drive Sockets and Handles</b>			
41653	Flex Handle	40125	25/32" Skt.
41650	Cross Bar	40126	13/16" Skt.
40181	Speeder	40128	7/8" Skt.
		40130	15/16" Skt.
		40132	1" Skt.
		40134	1 1/16" Skt.
		40136	1 1/8" Skt.

### No. 4502W Set (1/4" and 1/2" Square Drives)

1 to a Case.

Shipping Weight Each, 24 lbs.

### No. 4503W Set (1/2" Square Drive) (as above less 4097 Midget Set)

1 to a Case.

Shipping Weight Each, 23 lbs.

### No. 4502-C Chest and Tray Only

1 to a Case.

Shipping Weight Each, 11 lbs.

### No. 4502-T Tote Tray Only

1 to a Case.

Shipping Weight Each, 4 lbs.



1/2"


SQUARE DRIVE



4237

1/4" & 1/2"

SQUARE DRIVE



4502W



**3/4"**  
**SQUARE DRIVE**



4727



4707W

## S-K Heavy Duty Wrench Sets

Thin Taper Wall 12 Point Sockets

Chromium Plated and Polished

### No. 4727 Set

Designed for heavy duty truck, tractor, and bus work. This reasonably priced assortment of 3/4" Square Drive Tools will handle most everyday work of this character. This eleven piece set is packed in a metal case, wrinkle finish, and contains one each of the following:

No.	Description	No.	Description
47134	1 1/16" Skt.	47152	1 5/8" Skt.
47136	1 1/8" Skt.	47153	Slide T Wrench
47140	1 1/4" Skt.	47161	8" Extension
47144	1 3/8" Skt.	47162	16" Extension
47146	1 1/2" Skt.	47170	Reversible Ratchet
47148	1 5/8" Skt.		

### No. 4727 Set (3/4" Square Drive)

1 to a Case.

Shipping Weight Each, 25.5 lbs.

### No. 4717 Set (as above less 47170 Reversible Ratchet)

1 to a Case.

Shipping Weight Each, 20 lbs.

### No. 4717 Tools Only

1 to a Case.

Shipping Weight Each, 16 lbs.

### No. 4707W Set

This nineteen piece 3/4" Square Drive Set with its full range of Sockets from 1 1/16" thru 2" will answer the need of the mechanic who must take care of heavy duty truck, tractor, bus, oil well, or Diesel equipment. The set is packed in a very well constructed chest, equipped with lift-out tray. Piano type hinges are used throughout. Furnished with nickel plated hasp for padlock, heavy corner irons and side catches. Metal carrying handle. Wrinkle finish. This set contains one each of the following:

No.	Description	No.	Description
47134	1 1/16" Skt.	47154	1 11/16" Skt.
47136	1 1/8" Skt.	47156	1 3/4" Skt.
47138	1 3/8" Skt.	47158	1 13/16" Skt.
47140	1 1/4" Skt.	47160	1 7/8" Skt.
47142	1 5/16" Skt.	47164	2" Skt.
47144	1 3/8" Skt.	47153	Slide T Wrench
47146	1 1/2" Skt.	47161	8" Extension
47148	1 5/8" Skt.	47162	16" Extension
47150	1 9/16" Skt.	47170	Reversible Ratchet
47152	1 5/8" Skt.		

### No. 4707W Set (3/4" Square Drive)

1 to a Case.


Shipping Weight Each, 46 lbs.

**THE SHERMAN-KLOVE CO.**

3535 WEST 47TH STREET  
CHICAGO 32, ILL., U. S. A.



## BOX END WRENCHES



### S-K Box End Wrenches

Chromium Plated and Polished

The long type 45° gives the necessary leverage which is often needed, while the short type wrench makes accessible those tight places so often found on the modern automobile. Drop forged. Precision broached. Walls are thin but exceptional strength is given by the best available Steels used in their manufacture.



Short Type  
No. 3350

#### SHORT TYPE

No.	Sizes	Length	Std. Cart.	Carton Wt.
33512	$\frac{3}{8}$ " x $\frac{7}{16}$ "	4 $\frac{3}{4}$ "	6	.60 lb.
33516	$\frac{1}{2}$ " x $\frac{9}{16}$ "	5 $\frac{3}{8}$ "	6	.90 lb.
33520	$\frac{5}{8}$ " x $\frac{11}{16}$ "	6"	6	1.50 lbs.

#### No. 3350 Set

Above three short type in carton.  
Shipping Weight, .5 lb.

#### LONG TYPE

No.	Sizes	Length	Std. Cart.	Carton Wt.
33012	$\frac{3}{8}$ " x $\frac{7}{16}$ "	7 $\frac{3}{8}$ "	6	.90 lb.
33016	$\frac{1}{2}$ " x $\frac{9}{16}$ "	8 $\frac{3}{8}$ "	6	1.32 lbs.
33020	$\frac{5}{8}$ " x $\frac{11}{16}$ "	9 $\frac{5}{8}$ "	6	1.92 lbs.
33024	$\frac{3}{4}$ " x $\frac{25}{32}$ "	11 $\frac{1}{8}$ "	6	2.88 lbs.
33026	$\frac{13}{16}$ " x $\frac{7}{8}$ "	12 $\frac{3}{4}$ "	6	4.08 lbs.
33030	$\frac{15}{16}$ " x 1"	14 $\frac{1}{4}$ "	6	5.40 lbs.

#### No. 3300 Set

Above six long type in carton.  
Shipping Weight, 3.3 lbs.

#### No. 3310 Set

Same as No. 3300 Set with No. 33030,  $\frac{15}{16}$ " x 1" wrench omitted.  
Shipping Weight, 2.5 lbs.



Long Type  
No. 3300

# No. 4002W S-K Socketchest

## 56 Piece Socket Wrench Set—Chromium Plated and Polished

This wide selection of tools is packed in one of the finest portable chests offered to the trade. This chest is made of heavy gauge steel, equipped with piano type hinges and has lift-out tote tray. The heavy corner irons, hasp for padlock, and side catches are nickel plated. Chest dimensions are 20" x 8" x 9 3/4". Set contains one each of the following:


ges and has lift-out tote tray. The heavy corner irons, hasp for padlock, and side catches are nickel plated. Chest dimensions are 20" x 8" x 9 3/4". Set contains one each of the following:

No.	Description
1/4" Sq.	Drive Sockets and Handles
40953	Flex Handle
40950	Cross Bar
40908	1/4" 6 Pt. Skt.
40909	5/16" 6 Pt. Skt.
40910	3/8" 6 Pt. Skt.
40911	11/32" 12 Pt. Skt.
40912	3/8" 12 Pt. Skt.
40914	7/16" 12 Pt. Skt.
40988	1/2" 8 Pt. Skt.
40900	5/16" 8 Pt. Skt.
40901	3/8" 8 Pt. Skt.

No.	Description
3/8" Sq.	Drive Sockets and Handles
45153	Flex Handle
45150	Cross Bar
45181	Speeder
45170	Reversible Ratchet
45161	6" Extension
45162	11" Extension
45190	Universal Joint
45112	3/8" Skt.
45114	7/16" Skt.
45116	1/2" Skt.
45118	5/16" Skt.
45120	3/8" Skt.
45122	1 1/16" Skt.
45124	3/4" Skt.

1/2" Sq.	Drive Sockets and Handles
41653	Flex Handle
41650	Cross Bar
40181	Speeder
42470	Reversible Ratchet
40161	5" Extension
40162	10" Extension
40190	Universal Joint
40152	Slide T Wrench
40114	7/16" Skt.
40116	1/2" Skt.
40118	9/16" Skt.
40119	19/32" Skt.
40120	5/8" Skt.
40122	11/16" Skt.
40124	3/4" Skt.
40125	25/32" Skt.
40126	13/16" Skt.
40128	7/8" Skt.
40130	15/16" Skt.
40132	1" Skt.
40134	1 1/16" Skt.
40136	1 1/8" Skt.

45° Box End Wrenches		
33512	3/8"	x 7/16" Short
33516	1/2"	x 9/16" Short
33520	5/8"	x 1 1/16" Short
33012	3/8"	x 7/16" Long
33016	1/2"	x 9/16" Long
33020	5/8"	x 1 1/16" Long
33024	3/4"	x 25/32" Long
33026	13/16"	x 7/8" Long
33030	15/16"	x 1" Long



### No. 4002W 56 Piece Socketchest

1 to a Case

### No. 4000W 66 Piece Socketchest (Same as above except tools only of the No. 4717 Set are added).

1 to a Case.

### No. 4000C Chest and Tray only

1 to a Case.

### No. 4000T Tote Tray only

1 to a Case.

Shipping Weight Each, 37 lbs.

Shipping Weight Each, 52 lbs.

Shipping Weight Each, 15 lbs.

Shipping Weight Each, 5 lbs.

# THE SHERMAN-KLOVE CO.

3535 WEST 47TH STREET  
CHICAGO 32, ILL., U. S. A

# No. 4010R S-K Socketchest

## 88 Piece Socket Wrench Set Chromium Plated and Polished

This set meets the needs of the mechanic for a complete setup that will take care of his everyday requirements. It contains a complete selection of necessary sockets, handles, extensions, ratchets, universal joints, and universal joint sockets in the  $\frac{1}{4}$ ",  $\frac{3}{8}$ " and  $\frac{1}{2}$ " Square Drives. These tools are packed in our large No. 6610 Heavy Duty Tool Chest, an ideal chest for the garage mechanic. The top compartment contains an 18" tote tray which makes it possible for the mechanic to carry emergency tools to the job. In addition, this compartment is so arranged with partitions that there is a convenient place for most sockets that are in the set. Midget set, spark

plug sockets, extra deep and universal joint sockets are each put up in individual metal cases which may be lifted out. The top drawer is divided into compartments for box end wrenches and miscellaneous small tools. The bottom drawer will accommodate  $\frac{3}{4}$ " Drive heavy duty sockets and other long, bulky tools. Attractive wrinkle finish. Equipped with nickel plated hasp for padlock and side catches. A sturdy handle is affixed to each end for easy carrying. Dimensions of chest—22" x 10" x 10". This eighty-eight piece set contains one each of the following:

No.	Description
<b><math>\frac{1}{4}</math>" Sq. Drive Sockets and Handles</b>	
40953	Flex Handle
40950	Cross Bar
40970	Reversible Ratchet
40961	2" Extension
40962	6" Extension
40906	$\frac{1}{4}$ " 6 Pt. Skt.
40907	$\frac{1}{4}$ " 6 Pt. Skt.
40908	$\frac{1}{4}$ " 6 Pt. Skt.
40909	$\frac{1}{4}$ " 6 Pt. Skt.
40910	$\frac{1}{4}$ " 6 Pt. Skt.
40911	$\frac{1}{4}$ " 12 Pt. Skt.
40912	$\frac{1}{4}$ " 12 Pt. Skt.
40914	$\frac{1}{4}$ " 12 Pt. Skt.
40988	$\frac{1}{4}$ " 8 Pt. Skt.
40900	$\frac{1}{4}$ " 8 Pt. Skt.
40901	$\frac{1}{4}$ " 8 Pt. Skt.
Above Tools in Metal Box	

No.	Description
40818	$\frac{5}{16}$ " Spark Plug Skt.
40820	$\frac{5}{8}$ " Spark Plug Skt.
40822	$\frac{11}{16}$ " Spark Plug Skt.
40824	$\frac{3}{4}$ " Spark Plug Skt.
B40826	$\frac{15}{16}$ " Spark Plug Skt.
B40828	$\frac{7}{8}$ " Spark Plug Skt.
40830	$\frac{15}{16}$ " Spark Plug Skt.
40832	1" Spark Plug Skt.
40836	1 $\frac{1}{8}$ " Spark Plug Skt.
48L	Ell Handle
Above Spark Plug Sockets in Metal Box	

No.	Description
<b>Box End Wrenches</b>	
33512	$\frac{3}{8}$ " x $\frac{1}{2}$ " Short
33516	$\frac{1}{2}$ " x $\frac{1}{2}$ " Short
33520	$\frac{5}{8}$ " x $\frac{1}{2}$ " Short
33012	$\frac{3}{8}$ " x $\frac{9}{16}$ " Long
33016	$\frac{1}{2}$ " x $\frac{9}{16}$ " Long
33020	$\frac{5}{8}$ " x $\frac{1}{2}$ " Long
33024	$\frac{3}{4}$ " x $\frac{1}{2}$ " Long
33026	$\frac{15}{16}$ " x $\frac{1}{2}$ " Long
33030	$\frac{15}{16}$ " x 1" Long
Above Box End Wrenches 45° Angle	

<b><math>\frac{3}{8}</math>" Sq. Drive Sockets and Handles</b>	
45153	Flex Handle
45150	Cross Bar
45181	Speeder
45170	Reversible Ratchet
45160	2 $\frac{5}{8}$ " Extension
45161	6" Extension
45162	11" Extension
45190	Universal Joint
45112	$\frac{3}{8}$ " Skt.
45114	$\frac{1}{2}$ " Skt.
45116	$\frac{1}{2}$ " Skt.
45118	$\frac{3}{4}$ " Skt.
45120	$\frac{3}{4}$ " Skt.
45122	$\frac{11}{16}$ " Skt.
45124	$\frac{3}{4}$ " Skt.
40412	$\frac{3}{8}$ " Ex. Deep Skt.
40414	$\frac{1}{2}$ " Ex. Deep Skt.
40416	$\frac{1}{2}$ " Ex. Deep Skt.
40418	$\frac{3}{4}$ " Ex. Deep Skt.
40420	$\frac{3}{4}$ " Ex. Deep Skt.
40422	$\frac{11}{16}$ " Ex. Deep Skt.
40424	$\frac{3}{4}$ " Ex. Deep Skt.
Above Extra Deep Sockets in Metal Box	
40612	$\frac{3}{8}$ " U. Jt. Skt.
40614	$\frac{1}{2}$ " U. Jt. Skt.
40616	$\frac{1}{2}$ " U. Jt. Skt.
40618	$\frac{3}{4}$ " U. Jt. Skt.
40620	$\frac{3}{4}$ " U. Jt. Skt.
40622	$\frac{11}{16}$ " U. Jt. Skt.
40624	$\frac{3}{4}$ " U. Jt. Skt.
Above Univ. Joint Sockets in Metal Box	

<b><math>\frac{1}{2}</math>" Sq. Drive Sockets and Handles</b>	
41653	Flex Handle
41650	Cross Bar
40181	Speeder
42470	Reversible Ratchet
40161	5" Extension
40162	10" Extension
40190	Universal Joint
40152	Slide Tee Wrench
40114	$\frac{1}{2}$ " Skt.
40116	$\frac{3}{4}$ " Skt.
40118	$\frac{1}{2}$ " Skt.
40119	$\frac{19}{16}$ " Skt.
40120	$\frac{5}{8}$ " Skt.
40122	$\frac{11}{16}$ " Skt.
40124	$\frac{3}{4}$ " Skt.
40125	$\frac{15}{16}$ " Skt.
40126	$\frac{15}{16}$ " Skt.
40128	$\frac{7}{8}$ " Skt.
40130	$\frac{15}{16}$ " Skt.
40132	1" Skt.
40134	1 $\frac{1}{8}$ " Skt.
40136	1 $\frac{1}{8}$ " Skt.
4V118	$\frac{1}{2}$ " Ford V8 Rod Skt.
40809	Drag Link Skt.



No. 4010R 88 Pc. Socketchest

1 to a Case.

Shipping Weight Each, 71 lbs.

No. 4011R 99 Pc. Socketchest (same as 4010R except Tools Only of the No. 4727 Set are added)



1 to a Case.

Shipping Weight Each, 91 lbs

No. 4001R 88 Pc. Socketchest (same as 4010R except that the set is packed in a No. 4000C Portable Chest.)

1 to a Case.

Shipping Weight Each, 46 lbs.



## S-K Tool Boxes

### HEAVY DUTY TOOL CHEST

No. 6610

An ideal heavy duty tool chest for the garage mechanic. The top compartment contains an 18" tote tray which makes it possible for the mechanic to carry emergency tools right to the job. The top compartment is arranged with partitions to accommodate a complete set of socket wrenches. The top drawer is divided into compartments for end wrenches and miscellaneous small tools. The bottom drawer will accommodate  $\frac{3}{4}$ " drive heavy duty sockets and other long and bulky tools. The drawers have the S-K "EASYSIDE" feature. Attractive wrinkle finish. Equipped with nickel plated hasp for padlock and side catches. There is a sturdy handle on each end for easy carrying.

No.	Dimensions	Packed	Ship. Wt.
6610	22" x 10" x 10"	1 in Case	40 lbs.

### GENERAL PURPOSE TOOL CHEST

No. 619

Made of 22 gauge steel. Designed for the mechanic who must have a box that will stand up under heavy use. Has full lift-out tray,  $18\frac{3}{8}$ " x  $6\frac{5}{8}$ " x  $1\frac{3}{8}$ " as illustrated. Full piano type hinge. Is equipped with nickel plated corner irons on all eight corners, heavy hasp for padlock, and side catches. Metal handle. Baked crystalline finish.

No.	Dimensions	Packed	Ship. Wt.
619	19" x 7" x $7\frac{1}{4}$ "	1 in Carton	9 lbs.

### ALL PURPOSE TOOL CHEST

No. 620

The uses for the No. 620 Chest are unlimited. A very popular box with the mechanic, electrician, carpenter or home owner. Made of 20 and 22 gauge steel to insure strength. Sturdy metal handle to "fit the hand". Overall dimensions of chest  $20$ " x  $8\frac{1}{2}$ " x  $9\frac{1}{2}$ ". Has a very convenient liftout tote-tray with strong tubular handle and partitions for sockets or small parts. Dimensions of tray,  $19\frac{1}{2}$ " x  $7\frac{3}{4}$ " x  $2$ ". Chest is spot welded with full piano-type STOP hinge. Nickel plated catches and hinge hasp for padlock. Rounded top and corners giving the appearance of a treasure chest. Beautiful baked crystalline finish.

No.	Dimensions	Packed	Ship. Wt.
620	$20$ " x $8\frac{1}{2}$ " x $9\frac{1}{2}$ "	1 in Carton	13 lbs.

### CARPENTERS TOOL CHEST

No. 1532

A handy tool chest with space for plenty of carpenter tools. Built of 22 gauge steel. Has two level clips welded to inside front, slot for square at right front end. The bottom is covered with a wooden insert with block to hold three saws. Full size round metal handle on end, in addition to one on top. Has piano type hinge running full length of the chest. Is equipped with heavy nickel plated corner irons and a sturdy hasp for padlock. Attractive crystalline finish.

No.	Dimensions	Packed	Ship. Wt.
1532	$32$ " x $8$ " x $10$ "	1 in Carton	16 lbs.

# S-K Tool Boxes



## HEAVY DUTY MACHINIST CHEST

NO. 6614

A Chest that is in demand wherever offered. Steel construction throughout. Equipped with five drawers, one each  $7\frac{1}{2}" \times 18\frac{1}{8}" \times 2"$ ,  $7\frac{1}{2}" \times 18\frac{1}{8}" \times 3"$ ,  $7\frac{1}{2}" \times 9\frac{1}{2}" \times 2"$ , and two drawers —  $7\frac{1}{2}" \times 9\frac{1}{2}" \times 1"$ . Drawers and inside of top compartment are lined with green felt. Drawers will not pull out. Attractive green wrinkle finish. Equipped with nickel plated hardware throughout. The front panel slides into a recess at bottom of the drawers when Chest is open. When Chest is closed this panel fits against drawers and is held by nickel plated lock, thus locking drawers securely.

No.	Dimensions	Packed	Ship. Wt.
6614	20" x $8\frac{3}{4}"$ x 13	1 in Carton	30 lbs.

## GENERAL UTILITY CHESTS

NO. 114C AND 119C

General Utility Boxes with many exclusive sales features. These chests have many uses around the home, for junior mechanics, amateur fishermen, etc. Corners are rounded which prevent tearing clothing when carrying. Equipped with lock and side catches. Rigid construction. All seams electrically welded. Attractive crystalline finish. Cantilever tray. Made of 26 gauge steel.

No.	Dimensions	Packed	Ship. Wt.
114C	14" x 6" x $6\frac{1}{2}"$	6 in Carton	26 lbs.
119C	19" x 6" x $6\frac{1}{2}"$	6 in Carton	36 lbs.

## HEAVY DUTY MECHANIC'S CHESTS

NO. 1500 SERIES

This line of chests has plenty of space for tools used in garage work. The lift-out trays have heavy carrying bars and they are partitioned for socket wrenches the full length. There is ample room under the tray in these chests for storage of box and open end wrenches, screw drivers, punches, chisels, and so forth. In short, these chests give you plenty of space to carry sufficient tools for most any job. They are constructed of 22 gauge steel and are equipped with metal handles. They have nickel plated corner irons, hasps for padlocks, and side catches. Attractive crystalline finish.

No.	Dimensions	Packed	Ship. Wt.
1500	20" x $10\frac{1}{4}"$ x $12\frac{5}{8}"$	1 in Carton	16 lbs.
1502	19" x 7" x $8\frac{3}{4}"$	1 in Carton	11 lbs.
1503	20" x 6" x 6"	1 in Carton	10 lbs.
1510	1500 Tray only	1 in Carton	6 lbs.
1512	1502 Tray only	1 in Carton	4 lbs.

